




Sr. No.	Size
1.	1/2"
2.	5/8"
3.	3/4"
4.	25 X 3 mm
5.	50 X 6 mm

1. "A" Type Clamp



Sr. No.	Size
1.	5/8"
2.	3/4"
3.	1/2"
4.	1"

2. "G" Type Clamp



Sr. No.	Size
1.	5/8"
2.	3/4"

3. "O" Type Clamp



Sr. No.	Size
1.	1/2"
2.	5/8"
3.	A Big Clamp

4. "A" Clamp Small



Sr. No.	Conductor Size
1.	26 X 8 mm
2.	51 X 10 mm

5. Oblong Test Clamp



Sr. No.	Size
1.	25 X 3 mm
2.	25 X 6 mm
3.	31 X 3 mm
4.	31 X 6 mm
5.	50 X 3 mm
6.	50 X 6 mm

6. Square Tape Clamp (Cross Saddle)



Sr. No.	Size	Length
1.	16-70 mm	45 mm
2.	70-120 mm	48 mm
3.	120-185 mm	55 mm
4.	185-240 mm	63 mm

7. Tower Earth Clamp



Sr. No.	Size
1.	8 mm

8. Tee Type Clamp



Sr. No.	Size
1.	14.2 mm
2.	17.2 mm
3.	25 mm
4.	32 mm

9. "E" Type U Bolt Clamp



Sr. No.	Size
1.	16-70 mm
2.	70-185 mm
3.	150-300 mm

10. GUU U Bolt Clamp



11. Heavy U Bolt Clamp



Sr. No.	Size
1.	Two Hole Earth Clamp

12. Earth Clamp Heavy



13. Earth Clamp



Sr. No.	Size
1.	35 mm
2.	70 mm

14. Bee Type Clamp



Sr. No.	Size
1.	50 mm
2.	70 mm
3.	95 mm

15. Rod To Cable Square Tape Saddle (Cross Saddle)



Sr. No.	Size
1.	25 X 3 mm
2.	26 X 8 mm

16. Screw Down Test Clamp



Sr. No.	Size	Sr. No.	Size
1.	25 X 3 mm	6.	40 X 6 mm
2.	25 X 6 mm	7.	50 X 3 mm
3.	30 X 3 mm	8.	50 X 6 mm
4.	30 X 6 mm	9.	60 X 5 mm
5.	40 X 5 mm		

17. DC Tape Clamp




Sr. No.	Size
1.	50 mm
2.	70 mm
3.	95 mm

18. DC Rod Clip



Sr. No.	Size
1.	25 X 3 mm
2.	25 X 6 mm

19. Test Clamp




20. Four Hole Earth Point



21. One Hole Earth Point



22. Two Hole Earth Point



Sr. No.	Size
1.	16 mm
2.	20 mm

23. Round Hed Arrestor Base



Sr. No.	Size
1.	10 mm (3/8")
2.	12 mm (1/2")
3.	16 mm (5/8")

24. Arrestor Base



Sr. No.	Size
1.	16 mm
2.	20mm

25. Flate Saddle  
(Air Rod Cable Saddle)



Sr. No.	Size
1.	3/4 X 70 mm
2.	5/8 X 70 mm

26. Center Hex Coupler



Sr. No.	Size
1.	3/4 X 50 mm
2.	3/4 X 60 mm
3.	3/4 X 70 mm
4.	5/8 X 50 mm
5.	5/8 X 60 mm
6.	5/8 X 70 mm

27. Round Coupler



Sr. No.	Size
1.	16 mm

28. Multi Point For Arrestor Base



Sr. No.	Size
1.	16 mm (5/8")

29. Multi Point For Arrestor Base



Sr. No.	Size
1.	16 mm
2.	20 mm

30. Rod To Tape Couplings



Sr. No.	Conductor Size
1.	50 mm
2.	70 mm
3.	95 mm

31. Rod To Cable Couplings



Sr. No.	Conductor Size
1.	8 mm
2.	50 mm
3.	70 mm
4.	95 mm

32. Circular Conductor Shoes



Sr. No.	Size	Length	Wind
1.	8 mm	55 mm	32 mm

33. Rainwater Pipe Bonds



Sr. No.	Size	Length	Wind
1.	26 mm	32 mm	32 mm

34. Rainwater Pipe Bond



Sr. No.	Size
1.	25 X 3 mm

35. "B" Bonds




Sr. No.	Size
1.	25 X 3 mm

36. Waterman Bond



Sr. No.	Dia Meter Size
1.	122 mm

37. Strike Pads



Sr. No.	Size
1.	5/8"
2.	3/4"

38. Eye Bolt



Sr. No.	Size
1.	X Type
2.	Y Type
3.	Z Type

39. Wiping Gland




Sr. No.	Size	Length	W
1.	16 mm	97 mm	120 mm
2.	20 mm	97 mm	120 mm

40. Side Mounting Air Rod Brackets



**41. Copper Bonded Rod**

Sr. No.	Rod Dia meter (in mm)	Thraed	Rod Length (in mm)
1.	13.5 mm	5/8"	1200 mm
2.	13.5 mm	5/8"	1500 mm
3.	13.5 mm	5/8"	1800 mm
4.	13.5 mm	5/8"	2000 mm
5.	13.5 mm	5/8"	2400 mm
6.	13.5 mm	5/8"	3000 mm
7.	13.5 mm	5/8"	3600 mm
8.	14.2 mm	5/8"	1200 mm
9.	14.2 mm	5/8"	1500 mm
10.	14.2 mm	5/8"	1800 mm
11.	14.2 mm	5/8"	2400 mm
12.	14.2 mm	5/8"	3000 mm
13.	16 mm	3/4"	1200 mm
14.	16 mm	3/4"	1500 mm
15.	16 mm	3/4"	1800 mm
16.	16 mm	3/4"	2400 mm
17.	16 mm	3/4"	3000 mm
18.	17 mm	3/4"	1200 mm
19.	17 mm	3/4"	1500 mm
20.	17 mm	3/4"	1800 mm
21.	17 mm	3/4"	2400 mm
22.	17 mm	3/4"	3000 mm
23.	17.2 mm	3/4"	1200 mm
24.	17.2 mm	3/4"	1500 mm
25.	17.2 mm	3/4"	1800 mm
26.	17.2 mm	3/4"	2400 mm
27.	17.2 mm	3/4"	3000 mm



Sr. No.	Size
1.	50 mm
2.	80 mm


**42. Plintele Hinges**



Sr. No.	Size
1.	4 Way
2.	8 Way
3.	Single Way

**43. Nutural Links**






**44. Split Bolt**

Sr. No.	Size	BR mm	TL mm	BG mm	NR mm
1.	6	10	24	3.2	12.7
2.	10	12.7	27.3	5.5	19
3.	16	12.7	27.3	5.5	19
4.	25	14.2	28.9	6.9	19
5.	32	18	31	8.1	23
6.	35	18	34.8	8.1	24
7.	50	23	42	9.6	27.3
8.	70	23	47.5	11.17	30
9.	95	25.4	53	14	34.3
10.	100	30	60	14	37
11.	120	30	58.85	15.9	35.45
12.	150	30	59	16	35.55
13.	185	32	59.1	18	38.1
14.	240	38	76.2	22	48.25

**45. Fasteners & Fixings Parts Nut And Bolt**



Sr. No.	Brass Bolt Size	Brass Nut Size	Brass Plain And Spring Washer
1.	M6 X 10 mm (1/4")	M6 (1/4")	M6 (1/4")
2.	M6 X 12 mm		
3.	M6 X 16 mm		
4.	M6 X 20 mm		
5.	M8 X 10 mm (5/16")	M8 (5/16")	M8 (5/16")
6.	M8 X 16 mm		
7.	M8 X 20 mm		
8.	M8 X 25 mm		
9.	M8 X 30 mm		
10.	M10 X 20 mm (3/8")	M10 (3/8")	M10 (3/8")
11.	M10 X 25 mm		
12.	M10 X 30 mm		
13.	M12 X 25 mm (1/2")	M12 (1/2")	M12 (1/2")
14.	M12 X 30 mm		
15.	M12 X 35 mm		
16.	M12 X 40 mm		
17.	M16 X 25 mm (5/8")	M16 (5/8")	M16 (5/8")
18.	M16 X 30 mm		
19.	M16 X 35 mm		
20.	M16 X 40 mm		
21.	M16 X 50 mm		



Sr. No.	Size
1.	20s to 100L

46. CW Cable Gland



Sr. No.	Size
1.	20s to 90L

47. BW 2 Part Cable Gland



Sr. No.	Size
1.	20s to 90L

48. E1W Cable Gland



Sr. No.	Size
1.	20s to 125L

49. A1 / A2 Cable Gland



Sr. No.	Size
1.	15mm to 75mm

50. Marine Cable Glands



Sr. No.	Size
1.	20s to 90L

51. BW 4 Part Cable Gland





Sr. No.	Size
1.	All Size

52. PG IP - 65 Cable Glands



Sr. No.	Size
1.	All Size

53. PG IP - 68 Cable Glands



Sr. No.	Size
1.	G204 to G755

54. Alco Cable Gland



Sr. No.	HV Size	LV Size
1.	12 mm	12 mm
2.	16 mm	20 mm
3.	20 mm	30 mm
4.	30 mm	42 mm
5.		48 mm

55. Transformer Part HV And LV



Sr. No.	Size
1.	20s to 100L

56. Brass Male Bush

Sr,	Description	Picture	Material	Sr.	Description	Picture	Material
1	Earth Clamp - 14/1 Earth Clamp - 14/2 Earth Clamp - 14/3		Clamp - Brass Bolt & Nut - Brass Strip - Steel	9	Disconnecting Link With porcelain insulators		Brass & copper
2	Earthing Band Clamp - 12cm Earthing Band Clamp - 19cm Earthing Band Clamp - 42cm Earthing Band Clamp - 58cm		Steel	10	Copper Comb (Blue & Black)		Copper
3	Breaker for Rail		Rail Copper	11	Earth Clamp - 5/8"		Bolt - Steel Clamp - Brass
4	Earthing Breaker		Brass & copper	12	Earth Rod to Tape Clamp Tape 30mm		Clamp - Brass M10 Bolt - S.S.
5	Earthing Breaker With Rail		Brass & copper	13	Earthing Connector		Brass
6	Disconnecting Link With porcelain insulators		Brass & copper	14	Earthing Connector		Aluminium /Steel
7	Earthing Breaker (Copper)		Brass & copper	15	Earthing Connector Double		Aluminium /Steel
8	Earthing Breaker With Rail Copper		Brass & copper	16	Earth Rod - 14.5 or 15.5mm Cross Shape 1Mtr.		Steel
9	Disconnecting Link With porcelain insulators		Brass & copper	17	Steel Clamp		Steel

## Madhvesh Overseas

Plot no. 20/1 Swati Soc. 4  
B/h Atmiya College Kalawad Rd  
Rajkot 36005 Gujarat India.

Website: [www.madhveshoverseas.com](http://www.madhveshoverseas.com)

Email: [info@madhveshoverseas.com](mailto:info@madhveshoverseas.com)  
[madhveshoverseas@gmail.com](mailto:madhveshoverseas@gmail.com)

Contact No.: +91 9725503772  
+91 7779010126  
+91 9725503938